

This is a portion of the actual cpm for Anti-PDGF IgG purified wound fluid samples from Days 1-5 in our DNA synthesis mitogenic activity assay. The cpm in the day 1 number 30 is significantly above the background level of 2226 to 3886 cpm numbers 51-54. However, the samples from days 3-5 (numbers 33-38) range from 1735 to 3671 which are the same as background and therefore do not exhibit any mitogenic activity.

Samples 43-58 are standards containing different amounts of PDGF or (49-50) FGF.

These data indicate that we could not detect any mitogenic activity in samples that contain the 34-36 kDa peptides.

*ELUTION FROM GEL*

*sample#*

30	17374	.68	15816	.71	13.2	17	.910	158
31	4527	1.33	4078	1.40	13.0	?	.901	164
32	2882	1.67	2618	1.75	13.2	?	.908	169
33	3277	1.56	2979	1.64	13.2	?	.909	174
34	3302	1.56	2995	1.63	13.2	?	.907	180
35	1735	2.15	1579	2.25	13.4	?	.910	185
36	2833	1.68	2568	1.77	13.1	?	.906	190
37	3671	1.48	3338	1.55	13.2	?	.909	195
38	2393	1.83	2164	1.92	13.1	?	.904	201
43	36272	.47	32530	.50	12.6	17	.897	227
44	18347	.66	16457	.70	12.8	17	.897	232
45	5988	1.16	5373	1.22	12.8	?	.897	238
46	6678	1.09	6034	1.15	13.0	?	.904	243
47	5437	1.21	4906	1.28	13.1	?	.902	248

STD.

P#	S#	TIME	CPMA/K	%DEV	CPMB/K	%DEV	QIP	FLAGS	SCR	MIN
3	48	5.00	1209	2.57	1081	2.72	13.5	?	.894	253
3	49	5.00	8682	.96	7830	1.01	13.0	?	.902	259
3	50	5.00	7108	1.06	6471	1.11	13.5	?	.910	264
3	51	5.00	3378	1.54	3083	1.61	13.8	?	.913	269
3	52	5.00	3886	1.43	3557	1.50	13.7	?	.915	275
3	53	5.00	3612	1.49	3257	1.57	12.9	?	.902	280
3	54	5.00	2226	1.90	1991	2.00	12.9	?	.894	285
3	55	5.00	19840	.63	17868	.67	12.9	17	.900	290
3	56	5.00	24066	.58	21734	.61	13.0	17	.903	296
3	57	5.00	8579	.97	7773	1.01	13.1	?	.906	301
3	58	5.00	9139	.94	8328	.98	13.3	?	.911	306
3	59	5.00	5712	1.18	5169	1.24	13.3	?	.905	311
3	60	5.00	4047	1.45	3445	1.54	13.0	?	.900	317

*ORIGINAL W/OUT STRAIGHT W/TA*

*BKG*

*OK*

EXHIBIT A